





INVESTOR IN PEOPLE

The Patent Office Concept House Cardiff Road Newport South Wales NP10.800

REC'D 0 3 APR 2003

WIPO PCT

# PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subject. The company to certain additional company law rules.

Signed

Dated 19 March 2003

**Best Available Copy** 

An Executive Agency of the Department of Trade and Industry



06MARO2 E700964-1 D10092. P01/7700 0.00-0205130.8

Your reference ADS/Magpie (UK)

0205130.8

Pate	nt P	Request for grant of a Patent			
Office		orm 1/77	Patents Act 1977		
1 Title	of invention				
·	A method of device to ac	enabling a wireles: cess data services	s information		
2. Appli	cant's details				
[X]	First or only a	oplicant			
2a	•	a corporate body: C	orporate Name		
	Symbian Lim				
	-				
	Country				
	GB				
2b	If applying as Surname	an individual or partn	ership		
	Forenames				
2c	Address	Sentinel House 16 Harcourt Street London	,		
	UK Postcode	W1H 1DS			
	Country	GB			
	ADP Number	7.57	3132002		

	Second applicant (if any)		
2d	Corporate Name		
	Country	·	
	Country		
2e	Surname		
	Forenames		
2f	Address		
	UK Postcode		
	Country		
	ADP Number		
3 Addi	ess for service		
	Agent's Name	Origin Limited	
	Agent's Address	52 Muswell Hill Road	
	rigent a radiosa	London	
	Agent's postcode	N10 3JR	
	hand ADD		
	Agent's ADP Number	C03274	



				<del></del>		
4	Reference Numl	ber				
	ADS/Mag	pie (UK)				
5	Claiming an earli	er applica	tion dat	ė		
	An earlier f	iling date	is claim			
	Yes		No	X		
	Number of application		i numbe	<b>∋</b> r	,	
	Filing date					
	15 (4) (Div	isional)	8(3)	12(6)	37(4)	
					F-7	
			لـــا	<u></u>		
6	Declaration of pri	ority	<del></del>			
6	Declaration of pri	ority	· · · · · · · · · · · · · · · · · · ·			
	Declaration of pri		pplicat	ion Number	Filing	) Date
			pplicat	ion Number	Filing	) Date
			pplicat	ion Number	Filing	) Date
			pplicat	ion Number	Filing	) Date
			pplicat	ion Number	Filing	) Date
			pplicat	ion Number	Filing	) Date
			pplicat	ion Number	Filing	) Date
			pplicat	ion Number	Filing	Date
			pplicat	ion Number	Filing	Date
			pplicat	ion Number	Filing	Date
			pplicat	ion Number	Filing	Date

7 Inventorship
The applicant(s) are the sole inventors/joint inventors
Yes No X
8 Checklist
Continuation sheets
Claims 0 Description 17
Abstract 0 Drawings 0
Priority Documents Yes/No
Translations of Priority Documents Yes/No
Patents Form 7/77 Yes/No
Patents Form 9/77 Yes/No
Patents Form 10/77 Yes/No
9 Request
We request the grant of a patent on the basis of this application
Signed: Date: 6/7/02 (Origin Limited)

# A METHOD OF ENABLING A WIRELESS INFORMATION DEVICE TO ACCESS DATA SERVICES

#### BACKGROUND OF THE INVENTION

5

10

15

30

#### 1. Field of the Invention

This invention relates to a method of enabling a wireless information device to access data services, particularly from several data services providers. The term 'wireless information device' used in this patent specification should be expansively construed to cover any kind of device with one or two way wireless information capabilities and includes without limitation radio telephones, smart phones, communicators, personal computers, computers and application specific devices. It includes devices able to communicate in any manner over any kind of network, such as GSM or UMTS, CDMA and WCDMA mobile radio, Bluetooth, IrDA etc. A data service provider is an entity which supplies information of interest to a user; the term encompasses commercial entities, as well as individuals.

#### 2. Description of the Prior Att

#### History of wireless data services

The story of data services to date has been one of mixed fortunes. In Japan, iMode services have been regarded as a spectacular success. Approximately 18% of revenues to DoCoMo in 2001 (source DoCoMo) will be due to non-voice traffic with some 65% of these attributable to content-based services. In contrast, WAP technology has failed to make a significant impact in Europe or in the USA despite very substantial investments in infrastructure and marketing.

Analysts are not all agreed about the reasons for the difference. Certainly some of the reason is down to cultural issues and DoCoMo's ability to mandate a standard through sheer market power. But there is another factor — the WAP devices were marketed as the "Mobile Interner" which raised unrealistic expectations that were far from the ability of the technology to deliver. Many of these issues has subsequently been addressed but the services have not as yet recovered. Some of the remaining issues include:

Slow – It takes a long time to acquire data. Contrary to popular belief, this is mainly an issue of network latency rather than bandwidth. Later networks (e.g. GPRS) do not necessarily improve this significantly.

Expensive – Because the technology is based on data over a conventional phone call, the user is faced with normal mobile phone charges even when reading content. GRPS provides an opportunity to fix this.

No value chain for content providers – Content providers have no way of making a small charge for content. This makes it difficult to create a business case for WAP content, except for major purchases (via credit card) which are not well suited to the phone device.

Poor user experience – Poor device displays lead to unattractive content (text only) and very deep menu tree structures to access information. As a result it takes many clicks (and many delays) to get to the information the user wants by which time many users will have given up (reports suggest that for every click required 25-50% of potential customers are lost).

Incompatible client devices — different devices support different features or interpret features differently, making it difficult for content providers to target all devices.

Next generation networks will address some of these issues. GPRS will allow a more flexible pricing structure and new billing systems presently being installed by the network operators will make it much simpler for operators to charge small amounts for individual services. In addition, there are signs that the operators will begin to offer a proportion of incremental call revenue to portals and service providers.

25

30

5

10

15

Next generation phones will also help. Larger displays and increased processing power will make it easier for the user to access data. In addition, there is a move towards standardisation of device capabilities so that content will work on multiple devices. Nevertheless, devices will vary considerably in capability (screen sizes, supported technologies etc) and a "one size fits all" data format seems unlikely. In addition, any standardisation of capability tends to a lowest common denominator approach and so manufacturers tend to add their own enhancements in order to make their offerings

more attractive. This makes it difficult for content providers in the absence of any dominant designs in the marker.

#### Making a phone compelling

Mobile phones are characterised by mobility, communication, small screens, and limited input capability (phone keys). The usage model is very different to that of the PC — services on a phone are about short transactions that help the user in context — send a short message, take a picture at a party and mail it to a friend, see what the weather will be like this afternoon, find your way in a street, pay for a coke, check out your stars, read a joke. Unfortunately the browsing model does not translate well onto the mobile phone and the improvements to networks and devices of themselves will only marginally improve the usability of the devices. This is exemplified by the present portal model which is intended to provide a natural gateway to users but is not presently seen as widely attractive in the market.

15

20

25

30

5

10

In order to attract users, the information they need must be integrated into the handset in a seamless way. Some of this information will be pulled (user searches for the content) and some pushed (the content arrives at the user's device). The latter is seen as a key to new services such as content that arrives when the user is close to a certain place or at a certain time. An example would be an offer of a half price drink in an airport lounge while waiting for a flight but might just as easily be the latest score in a football match or a share price. While some of this content will be wanted, there will be times when it is inappropriate and inevitably there will be a trend towards SPAM content to which market research suggests users have a very low tolerance. This is bad enough if it clogs up an email in-tray but if it alerts the user as well it will be infuriating. Furthermore, if the user has effectively paid for the content to be delivered, the reaction is likely to be very negative. Indeed, governmental bodies such as the European Commission are considering measures to ban publication of content without explicit consent from the recipient. This limits SPAM but does not address the problem of receiving worthwhile services in context.

4

#### Requirements for a compelling service

In addition to the capabilities of the emerging devices and networks, the following will be required to make services compelling:

- Easy access to information typically no more than 2 "clicks" away and simple content is "always on" (e.g. a current weather icon or football score)
- Presentation of the most likely content taking account of the user's context
   (location, time, ...)
- Put the user in control with a simple interface interruptions only occur when
  desired
- 10 For the content providers, there is a requirement for:
  - A defined value chain and billing system that generates revenue
  - Ideally a standardised target platform so that content can be published without regard for the user's device
- The principal provider (e.g. a network operator) wants to be able to make their presence more apparent to the user i.e. device customisation depending on the provider. This supports the brand, increases traffic to the providers sites and (through use of the services and the associated investment in learning how they work) increases customer loyalty.
- Identifying content that will maximise revenue (particularly true for content that is
   pushed speculatively since, unlike the PC Internet world, pushing content costs money in a mobile phone)

#### SUMMARY OF THE PRESENT INVENTION

The present invention is a method of enabling a wireless information device to access data services, in which a data service supplied from a remote service provider is graphically represented by an icon displayed within an application running on the device, in which the icon changes dynamically to reflect changing information. For example, a weather icon could be displayed in a calendar application. The icon changes dynamically to represent the weather on the particular day: this is an example of a weather data service being pushed to an end user device, but because the information is automatically displayed in an appropriate context, the user has no need to browse to it. Further, because the icon is dynamic, up to date information is automatically displayed on the device. Clicking on the icon causes a new application to be launched that takes the user to more detailed weather information. The user may well pay a small sum (charged automatically to the phone bill) for this additional information.

15

20

25

30

10

Data services can also be 'beatned' or otherwise distributed between end user wireless information devices, enabling the viral spreading of services. Hence, a user with for example access to a football scoring service as represented by an appropriate icon, can beam that icon to a friend's device, which in turn enables the friends device to receive the football scoring service.

A 'gateway' server can be used to receive data from data services providers or publishers, rather than the data being sent to an end user device without any kind of intermediary which stores or manipulates data. The server can act as a virtual representation of the client device. It can receive content even when the device is not available. The server provides a common interface for all service publishers and hence decouples the details of the handset from the content provider and allows a number of "virtual devices" to be defined against which the content providers can deliver content. It is the gateway server's responsibility to convert the content into a form that the client can handle and then deliver it to the client. This is a major advantage to both service publishers and content providers as it creates a virtual handset platform in the market. The gateway server

·TO:+01633 814444

б

maintains a log of all content delivered to the handset. It is able then to bill the content publisher appropriately.

The gateway server also gains information about the customer base, which forms a valuable CRM database for managing content to the client device. The gateway server has access to directory information that allows the user to select services more effectively.

The gateway server handles provisioning the client and the plug-ins and certificates that will be needed. This takes much of the authentication problem away from the client. 10 device. Integration of content into the device in this way provides an "embedded portal" within which related content such as that found on a portal can be presented to the user in a compelling manner. The gateway server is a natural location for presence information and the services associated with it. The model is entirely consistent with the 15 "web services" model that is emerging in the market and provides the front-end interface to such web services.

#### DETAILED DESCRIPTION

The ADSF or Advanced Data Services Framework is a technology developed within Symbian to support the effective deployment of certain types of services on advanced mobile phones.

#### The market need


5

10

15

The ADSF addresses the emerging market for wireless data-enabled phone devices (smartphones and PDAs). There are broadly two revenue models for these devices, communication based (calling, messaging, email,...) and content based (news and information, media, m-commerce,...). The initial mobile phone market has shown that the communication aspects of the devices are very successful – in Europe, over 99% of mobile phone revenues are derived from voice calls and messaging (Vodafone, 2001).

### ARPU Breakdown for Orange




However, many operators see data services as the way to further enhance revenues as mobile communications become more commoditised. Vodafone (Vodafone, 2001) and Orange (Orange share prospectus, 2001) both envision data revenues comprising 25-35% of total revenue in 2005. A breakdown in the Orange share Prospectus (source DKWR) indicated the expected revenue growth from data over the next 10 years. In reality, the


"data access" component covers a number of services including m-commerce and is not just corporate data access:

#### The ADSF

15


The ADSF turns around the browsing paradigm. Instead of the user searching for content, the content is brought to the user in context. So, if the user is looking at their calendar application on the phone, services that are relevant to the calendar such as weather or perhaps sports will be available in an unobtrusive way within the application. The calendar application is not aware of the content itself – it simply acts as a host for the content. In this way, the content can be changed without changing the host application. This is best described with an example:






A weather icon is displayed in the calendar application. The icon changes dynamically to represent the weather on the particular day. Clicking on the icon causes a new application to be launched that takes the user to more detailed weather information. The user may well pay a small sum (charged automatically to the phone bill) for this additional information.

Using the folder list, the user can filter which services are currently displayed in the current application:



Hence, selecting 'Sport' will show information from Sky Sports ervices, including football match objects.




+4402084444137

Tapping on the football match icon allows the user to see match information and download highlights:

5 Sony Ericsson Againda Edit 10 15

20

Architecturally, the ADSF can be thought of as adding an intelligent data store and data router onto the device (the content manager). The content manager is responsible for receiving or gathering content according to the user's requirements and publishing it into



defined areas of the main applications on the device. The content is likely to be delivered as standard WAP/WEB formats.

TO:+01633 814444

This example is a simple demonstration of the capability provided by the ADSF. Even in this simple case, it has addressed a number of usability issues:

- The user is able to access content from the native applications on the phone. There is no need to navigate to a separate browser application.
- 5 The user no longer has to navigate a deep WAP tree - the frequently required content is available at or close to the top level.
  - Content may be branded according to the phone supplier allowing network operators or others to improve their contact with the customer
- The user experience is improved, increasing the rate of use of (and hence revenue 10 from) the services.

#### Roll-out model

25

The roll out model is critical to any witeless data service. For the ADSF to be successful, a number of interrelated factors are required:

- 15 A sufficient community of handsets supporting the technology to encourage content providers
  - A sufficient quantity of content to make the service compelling to users
  - Sufficient pull from the operators to encourage the handset manufacturers to incorporate the technology in their devices
- 20 These are supported by the following:
  - Simple format for data based on a standard protocol (XHTML) allowing content providers to make their content available in a well-understood way.
  - A small base content manager with the ability for the user to add further functionality (such as advanced preferences support) later as add-ons to their device. In this way the memory footprint within the standard phone is minimised so reducing the cost increment to handset manufacturers to a small level.
  - (TBD) Delivery of the base content manager bundled with the standard SymbianOS offering at zero cost. Therefore, manufacturers of SymbianOS phones will need to decide actively to discard this component if they wish to.
- (TBD) Commercial relationships with key content providers, operators and handset 30 manufacturers to support the technology.

#### Revenue model

The revenue model from this approach is not simple. It may be possible to make a small charge for the base content manager to the handset manufacturer. This is likely to be of the order of 5-10c/handset but over millions of units this could represent a reasonable source of revenue.


It would be possible to sell additional client capabilities that provide a richer user experience to service and content providers (particularly network operators). This could provide either per handset or usage revenues. However, this implies access to the billing systems of the operators and agreement regarding a suitable revenue share (both of which are possible but difficult to put in place).

#### Extending the ADSF

10

15

So far, the ADSF has been thought of as a client only technology. However, there are advantages to introducing a server component as well. In this model, content is assumed to be provided by Service Publishers. A service publisher has a billing relationship with the customer and delivers content from a content owner. Frequently, the operators may



act as service publishers or other third parties may take on this role. Since the publisher is the body receiving revenue directly for the service, they are the most appropriate body to charge for delivery of additional service revenues.

The addition of the server provides a number of substantial advantages:

- The server can act as a virtual representation of the client device. It can receive
  content even when the device is not available.
- The server provides a common interface for all service publishers. While initially, the most likely service publishers are the network operators, the system enables other service publishers such as those with an existing billing relationship with the customer (e.g. Sky, Tesco) or those that have non-billing revenue models (e.g. the BBC).
- The server decouples the details of the handset from the content provider and allows a number of "virtual devices" to be defined against which the content providers can deliver content. It is the gateway server's responsibility to convert the content into a form that the client can handle and then deliver it to the client. This is a major advantage to both service publishers and content providers as it creates a virtual handset platform in the market (the creation of a standardised mobile phone platform for service delivery has been a "holy grail" within the industry for some time).
  - The Gateway server maintains a log of all content delivered to the handset. It is able
    then to bill the content publisher appropriately.
- The gateway server gains information about the customer base, which forms a valuable CRM database for managing content to the client device.
  - The gateway server has access to directory information that allows the user to select services more effectively.
- The gateway server handles provisioning the client and the plug-ins and certificates

  that will be needed. This takes much of the authentication problem away from the
  client device.

10

15

20


- Integration of content into the device in this way provides an "embedded portal" within which related content such as that found on a portal can be presented to the user in a compelling manner.
- The gateway server is a natural location for presence information and the services associated with it.
- The model is entirely consistent with the "web services" model that is emerging in the market. The ADSF provides the front-end interface to such web services.

#### Service selection, provisioning and distribution

Services can be thought of lightweight objects that reside on the device and provide links to other (probably revenue-bearing) services. Services can be provisioned on a device either by user selection (pull) or by provisioning (push). In addition, it is possible for a user to "send" a service from one device to another. If the new user is authenticated to receive the value-added services then they will pay for them in the normal way when they click on the icon, otherwise there will be a means of encouraging them to subscribe. This enables viral distribution of services and eliminates the need for complex Digital Rights Management (DRM) technology.

#### Revenue model

The revenue model in this case is rather more compelling. It is assumed that the publishers will be delivering content from which they gain value. The gateway server monitors the traffic and bills the publishers a proportion of the transaction cost of the data. Generally, these will be small payments for each service and since they are



associated with direct revenue to the service publishers, it is believed that publishers will accept this in return for additional service revenue and a simpler route to the client. This is analogous to the charge made by credit card companies for purchase transactions.

Advantages to content providers/network operators/service publishers:

- Provides a single interface for content, independent of the device in question
  - Creates incremental service revenue
  - Allows branding of a device in terms of the services delivered
  - Billing is based on a cut of the overall service revenue therefore easy to justify

#### Advantage for handset manufacturers

- Expands the attractiveness of the device because of the wide range of content supported
  - Integration with server allows device-specific enhancements to be supported
  - Minimum footprint software inclusion

#### Advantages to user

- 15 Content arrives in a compelling manner
  - Displayed in the optimum way on each phone

#### Advantages to new entrants

- The framework provides a model for delivering content that does not need to include the network operator.
- Supports monetised services over distribution channels other than over the air (e.g.
   Bluetooth, 802.11)

#### Extending beyond SymbianOS phones

The content manager can be ported to other devices including other phones, PDAs and even PCs. A more limited version may be able to be ported to simpler phones with a

25 likely base level requirement of a packet network and a browser interface.

The gateway server may be extended to provide a legacy phone interface, e.g. by providing content over SMS/MMS or via WAP/WEB. In this way, the content can be made available to the existing population of legacy phones, albeit with a greatly reduced interface and utility.

#### 30 Target markets

There are a number of approaches from a market standpoint.

P.021/022

5

25

16

- Corporates represent an arractive initial market. The ADSF allows company-specific
  information to be made available on phone devices, for instauce real time alerts,
  Intranet facilities, purchasing (hotels etc) through company channels etc. This is
  equivalent to embedding the company's Intranet within the phone's applications.
  May require authentication and secure transaction plug-ins.
- Operators are attractive, particularly those with their own portals that want to get close to the customer. Using the framework, they can brand the phone to a large degree and make their services the default choices within applications.
- MVNOs and major brand/content providers will also be attracted by the ability to
   deliver content to customers in a targeted way. This allows them in principle to offer services without involving a specific network operator.

#### Market penetration

The USPs of the ADSF are:

- Ability to present hooks for content to the customer in a way that they are likely to
   respond to
  - Simplified interface for content publisher to a variety of target handsets
  - A viral distribution model without the need for a complicated DRM system
  - Increased traffic for monetised services
  - An extensible framework for key services such as authentication
- A key issue to market uptake and revenue return is the trade-off between open and proprietary standards for the content. As a rule, open standards are greatly preferred as long as there are practical ways to avoid disintermediation.

The main stages in content delivery within the ADSF are:

- Creation of icons etc to present to the user (this will be a small number of generic icons)
- Provisioning the device
- Presenting the icons in context
- Following activation of an icon, following an appropriate link to content
- <Optional device/owner identification>
- 30 <Optional content translation for the device>
  - Content delivery and display

TO:+01633 814444

17

The challenge with a revenue share model is to avoid disintermediation. On the other hand, proprietary solutions will make acceptance of the roll-out model difficult.

## Proposed model

The base level client content manager software should be free of charge. This software allows content to be delivered and displayed in an app with limited user selection of 5 content. This should be deployed in the maximum possible number of client devices. There should be open standards for the icon content and for provisioning the device (with a suitable security model). These should be simple standards e.g. bitmaps and links. The client should not expect to apply significant intelligence to the display of bitmaps or

10 content

There should be an open plug-in model that allows more capable content managers to be deployed (either at time of manufacture of over the air). These may have proprietary connection to the server.

The server is offered as a service (provided or more likely licensed through partners) that:

- Provisions devices depending on the client 15
  - Filters content depending on the client
  - Provides a uniform interface
  - Provides billing and CRM statistics as appropriate

In summary, the model is:

- 1. Widespread adoption of the simple client. This allows icons to be placed in 20 applications and provide back links.
  - Offer of an incremental client-server pair that offers authentication, billing, etc. or power source.

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:		
☐ BLACK BORDERS		
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES		
FADED TEXT OR DRAWING		
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING		
☐ SKEWED/SLANTED IMAGES		
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS		
☐ GRAY SCALE DOCUMENTS		
☐ LINES OR MARKS ON ORIGINAL DOCUMENT		
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY		

# IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.